

1. Identification

Product identifier MIZANI STYLE SHIFTER SOCIETY WONDER CROWN

Other means of identification

SDS number 00-11-0000945

Recommended use Personal care product used for cosmetic effect.

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

US Address: L'Oreal USA Products, Inc
133 Terminal Avenue
Clark, NJ 07066
USA

Canadian Address: L'Oreal Canada
4895 rue Hickmore
Ville St-Laurent, H4T 1K5
Canada

Emergency Phone # : 1-800-535-5053 (International: 352-323-3500)
In Canada - 1-613-996-6666 (Canutec (*666 Cellular))

For further Information: 1-732-499-2741

Poison Control # : 412-390-3326

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1
Sensitization, skin	Category 1
Reproductive toxicity (the unborn child)	Category 2

OSHA defined hazards Not classified.

Label elements



Signal word Danger

Hazard statement Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. Suspected of damaging the unborn child.

Precautionary statement

Prevention

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wash thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection.

Response	If on skin: Wash with plenty of water. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.
Storage	Store locked up.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
GLYCERIN		56-81-5	61.59
SODIUM LAURETH SULFATE		68891-38-3	10.68
COCO-BETAINE		68424-94-2	2.4
SALICYLIC ACID		69-72-7	0.2
MENTHA PIPERITA (PEPPERMINT) OIL		84082-70-2	0.1

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions. Wash contaminated clothing before reuse.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.
Most important symptoms/effects, acute and delayed	Headache. Nausea, vomiting. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General information	IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before reuse.

5. Fire-fighting measures

Suitable extinguishing media	Alcohol resistant foam. Dry powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Avoid breathing mist/vapors. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Use water spray to reduce vapors or divert vapor cloud drift.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground.

Environmental precautions

7. Handling and storage

Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not get this material in contact with eyes. Avoid breathing mist/vapors. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Pregnant or breastfeeding women must not handle this product. Should be handled in closed systems, if possible. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store locked up. Store in tightly closed container. Keep out of the reach of children. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value	Form
GLYCERIN (CAS 56-81-5)	PEL	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.

US. OSHA Table Z-3 (29 CFR 1910.1000)

Components	Type	Value	Form
GLYCERIN (CAS 56-81-5)	TWA	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
		50 mppcf	Total dust.
		15 mppcf	Respirable fraction.

Biological limit values

No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station and safety shower.

Individual protection measures, such as personal protective equipment

Eye/face protection

Applicable for industrial settings only. Chemical respirator with organic vapor cartridge and full facepiece.

Skin protection

Hand protection

Applicable for industrial settings only. Wear appropriate chemical resistant gloves.

Other

Applicable for industrial settings only. Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

Respiratory protection

Applicable for industrial settings only. Chemical respirator with organic vapor cartridge and full facepiece.

Thermal hazards

Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Observe any medical surveillance requirements. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

9. Physical and chemical properties**Appearance**

Physical state	Liquid.
Color	Slightly Yellow.
Odor	Characteristic.
Odor threshold	Not available.
pH	5.2 - 5.8
Melting point/freezing point	Not available.
Initial boiling point and boiling range	> 212 °F (> 100 °C)
Flash point	> 199.4 °F (> 93.0 °C) Closed Cup
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or explosive limits	
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Density	0.99 g/cm ³
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information**Information on likely routes of exposure**

Inhalation	Prolonged inhalation may be harmful.
------------	--------------------------------------

Skin contact	Causes skin irritation. May cause an allergic skin reaction.
Eye contact	Causes serious eye damage.
Ingestion	Expected to be a low ingestion hazard.
Symptoms related to the physical, chemical and toxicological characteristics	Headache. Nausea, vomiting. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash.

Information on toxicological effects

Acute toxicity Not known.

Product	Species	Test Results
---------	---------	--------------

MIZANI STYLE SHIFTER SOCIETY WONDER CROWN

Acute

Oral

ATEmix

70950 mg/kg

Components	Species	Test Results
------------	---------	--------------

COCO-BETAINE (CAS 68424-94-2)

Acute

Dermal

LC50

Rat

> 620 mg/kg OECD 402

Oral

LD50

Mouse

2640 mg/kg OECD 401

GLYCERIN (CAS 56-81-5)

Acute

Dermal

LD50

Rabbit

> 18700 mg/kg bw

Inhalation

LC50

Rat

> 570 mg/L air, 1 h

Oral

LD50

Rat

27200 mg/kg bw

MENTHA PIPERITA (PEPPERMINT) OIL (CAS 84082-70-2)

Acute

Dermal

LD50

Rabbit

> 5000 mg/kg OECD 402

Oral

LD50

Rat

2650 mg/kg OECD 401

SALICYLIC ACID (CAS 69-72-7)

Acute

Dermal

LD50

Rat

> 2000 mg/kg OECD 402

Oral

LD50

Rat

891 mg/kg OECD 401

SODIUM LAURETH SULFATE (CAS 68891-38-3)

Acute

Dermal

LD50

> 2000 mg/kg OECD 402

Oral

LD50

2870 mg/kg OECD 401

Skin corrosion/irritation Causes skin irritation.

Irritation Corrosion - Skin

COCO-BETAINE

OECD 404
Result: Irritating
Species: Rabbit

Irritation Corrosion - Skin

SODIUM LAURETH SULFATE

OECD 404

Result: Irritating

Species: Rabbit

SALICYLIC ACID

OECD 404

Result: Not Irritating

Species: Rabbit

GLYCERIN

Result: Not Irritating

Species: Rabbit

MENTHA PIPERITA (PEPPERMINT) OIL

Result: Slightly Irritating

Species: Rabbit

Serious eye damage/eye irritation

Causes serious eye damage.

Irritation Corrosion - Eye

SODIUM LAURETH SULFATE

OECD 405, ($\geq 10\%$)

Result: Serious eye damage

Species: Rabbit

COCO-BETAINE

OECD 405, ($\geq 5\% - < 10\%$)

Result: Irritating

Species: Rabbit

OECD 405, $> 16\%$

Result: Corrosive

Species: Rabbit

OECD 405, $\leq 16\%$

Result: Irritating

Species: Rabbit

MENTHA PIPERITA (PEPPERMINT) OIL

OECD 437

Result: Classification not possible

Species: BCOP

GLYCERIN

Result: Not Irritating

Species: Rabbit

SALICYLIC ACID

Result: Severely Irritating

Species: Rabbit

Respiratory or skin sensitization**Respiratory sensitization**

Not a respiratory sensitizer.

Skin sensitization

May cause an allergic skin reaction.

Skin sensitization

GLYCERIN

167 mg/m³ air OECD 413, Inhalation

Result: NOAEL

Species: Rat

Test Duration: 90 d

COCO-BETAINE

OECD 406

Result: Not Sensitizing

Species: Guinea pig

SODIUM LAURETH SULFATE

OECD 406

Result: Not Sensitizing

Species: Guinea pig

SALICYLIC ACID

OECD 429

Result: Not Sensitizing

Species: Mouse

GLYCERIN

Result: Not Sensitizing

Species: Guinea pig

MENTHA PIPERITA (PEPPERMINT) OIL

Result: Sensitizing

Species: Guinea pig

Germ cell mutagenicity

No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

Mutagenicity

GLYCERIN

Result: In vitro and in vivo tests did not show mutagenic effects.

SODIUM LAURETH SULFATE

Result: In vitro and in vivo tests did not show mutagenic effects.

COCO-BETAINE

Result: In vitro tests did not show mutagenic effects

MENTHA PIPERITA (PEPPERMINT) OIL

Result: In vitro tests did not show mutagenic effects

Carcinogenicity

Not classifiable as to carcinogenicity to humans.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity Suspected of damaging the unborn child.**Developmental effects**

SODIUM LAURETH SULFATE

1000 mg/kg bw/d OECD 414

Result: NOAEL

Species: Rat

COCO-BETAINE

1000 mg/kg bw/d OECD 414

Result: NOEL

Species: Rat

GLYCERIN

1310 mg/kg bw/d, No effects on development

Result: NOAEL

Species: Rat

SALICYLIC ACID

75 mg/kg bw/d OECD 414

Result: NOAEL

Species: Rat

Reproductivity

COCO-BETAINE

150 mg/kg bw/d OECD 422

Result: NOEL

Species: Rat

GLYCERIN

2000 mg/kg bw/d, No effects on fertility

Result: NOAEL

Species: Rat

SALICYLIC ACID

250 mg/kg bw/d OECD 416, Based on test data for structurally similar materials.

Result: NOAEL

Species: Rat

SODIUM LAURETH SULFATE

300 mg/kg bw/d OECD 416

Result: NOAEL

Species: Rat

Specific target organ toxicity - single exposure Not classified.**Specific target organ toxicity - repeated exposure** Not classified.

COCO-BETAINE

>= 145 mg/kg bw/d OECD 408

Result: NOAEL

Species: Rat

Test Duration: 90 d

SODIUM LAURETH SULFATE

>= 225 mg/kg bw/d OECD 408

Result: NOAEL

Species: Rat

Test Duration: 90 d

MENTHA PIPERITA (PEPPERMINT) OIL

400 mg/kg bw/d OECD 407

Result: NOAEL

Species: Rat

Test Duration: 28 d

SALICYLIC ACID

700 mg/m3 air OECD 412, Based on test data for structurally similar materials.

Result: NOEC

Species: Rat

Test Duration: 28 d

GLYCERIN

8000 mg/kg bw/d, Oral

Result: NOAEL

Species: Rat

Test Duration: 2 yr

Aspiration hazard Not an aspiration hazard.**Further information** The reference to any animal testing for individual constituents mentioned in this document is based on public, third-party data.

12. Ecological information

Ecotoxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components		Species	Test Results
COCO-BETAINE (CAS 68424-94-2)			
Aquatic			
<i>Acute</i>			
Algae	EC50	Pseudokirchneriella subcapitata	1.7 mg/l, 72 h OECD 201
Crustacea	EC50	Daphnia magna	7.76 mg/l, 48 h OECD 202
Fish	LC50	Danio rerio	4.44 mg/l, 96 h OECD 203
Other	EC50	Activated sludge of a predominantly domestic sewage	> 2000 mg/l, 16 h DIN 38412, Pt. 8S
<i>Chronic</i>			
Algae	NOEC	Pseudokirchneriella subcapitata	0.38 mg/l, 72 h OECD 201
Crustacea	NOEC	Daphnia magna	2.99 mg/l, 21 d OECD 211
GLYCERIN (CAS 56-81-5)			
Aquatic			
<i>Acute</i>			
Algae	EC0	Scenedesmus quadricauda	> 10000 mg/l, 192 h
Crustacea	EC50	Daphnia magna	1955 mg/l, 48 h
Fish	LC50	Oncorhynchus mykiss	54000 mg/l, 96 h
Other	NOEC	Pseudomonas putida	> 10000 mg/l, 16 h
MENTHA PIPERITA (PEPPERMINT) OIL (CAS 84082-70-2)			
Aquatic			
<i>Acute</i>			
Algae	EC50	Algae	2.61 mg/l, 72 h QSAR
Crustacea	EC50	Daphnia	2.7 mg/l, 48 h QSAR
Fish	LC50	Fish	3.4 mg/l, 96 h QSAR
SALICYLIC ACID (CAS 69-72-7)			
Aquatic			
<i>Acute</i>			
Algae	EC50	Desmodesmus subspicatus	> 100 mg/l, 72 h OECD 201
Crustacea	EC50	Daphnia magna	870 mg/l, 48 h OECD 202
Fish	LC50	Pimephales promelas	1370 mg/l, 96 h OECD 203
Other	EC50	Activated sludge of a predominantly domestic sewage	> 1000 mg/l, 3 h OECD 209
<i>Chronic</i>			
Crustacea	NOEC	Daphnia magna	10 mg/l, 21 d OECD 202
SODIUM LAURETH SULFATE (CAS 68891-38-3)			
Aquatic			
<i>Acute</i>			
Algae	EC50	Desmodesmus subspicatus	27 mg/l, 72 h OECD 201
Crustacea	EC50	Daphnia magna	7.2 mg/l, 48 h OECD 202
Fish	LC50	Danio rerio	7.1 mg/l, 96 h OECD 203
Other	EC50	Pseudomonas putida	> 10000 mg/l, 16 h DIN 38412 - 8
<i>Chronic</i>			
Crustacea	NOEC	Daphnia magna	0.27 mg/l, 21 d OECD 211
Fish	NOEC	Oncorhynchus mykiss	0.14 mg/l, 28 d OECD 204

Persistence and degradability

Biodegradability

Percent degradation (Aerobic biodegradation)

COCO-BETAINE

79 % OECD 301 B

Result: Readily Biodegradable

Test Duration: 28 d

GLYCERIN

OECD 301

Result: Readily Biodegradable

MENTHA PIPERITA (PEPPERMINT) OIL

Result: Readily Biodegradable

SALICYLIC ACID

100 % OECD 301 C

Result: Readily Biodegradable

Test Duration: 28 d

SODIUM LAURETH SULFATE

100 % EU C.4-A

Result: Readily Biodegradable

Test Duration: 28 d

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

COCO-BETAINE

-0.4 EU A.8

GLYCERIN

-1.76

SALICYLIC ACID

2.26

SODIUM LAURETH SULFATE

0.3 OECD 123

Mobility in soil

No data available.

Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Waste from residues / unused products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

DOT

FINISHED GOODS

Not regulated as dangerous goods.

BULK

Not regulated as dangerous goods.

IATA

FINISHED GOODS

Not regulated as dangerous goods.

BULK

Not regulated as dangerous goods.

IMDG

FINISHED GOODS

Not regulated as dangerous goods.

BULK

Not regulated as dangerous goods.

15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Toxic Substances Control Act (TSCA)

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous chemical No (Exempt)

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act (SDWA) Not regulated.

FEMA Priority Substances Respiratory Health and Safety in the Flavor Manufacturing Workplace

GLYCERIN (CAS 56-81-5)

Other Flavoring Substances with OSHA PEL's

16. Other information, including date of preparation or last revision

Issue date 11-10-2023

Version # 01

NFPA ratings Health: 3
Flammability: 1
Instability: 0

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.